PAT-NO: JP02001094092A

DOCUMENT-IDENTIFIER: JP 2001094092 A

TITLE: POWER MOS TRANSISTOR

PUBN-DATE: April 6, 2001

INVENTOR-INFORMATION:

NAME COUNTRY MORI, SHOGO N/A

ASSIGNEE-INFORMATION:

NAME COUNTRY
TOYOTA AUTOM LOOM WORKS LTD N/A

APPL-NO: JP11270376

APPL-DATE: September 24, 1999

INT-CL (IPC): H01L029/78

US-CL-CURRENT: 257/E29.257

ABSTRACT:

PROBLEM TO BE SOLVED: To provide a power MOS transistor incorporating a bidirectional polysilicon Zener diode between drain and gate in which placement of bidirectional polysilicon Zener diodes is improved.

SOLUTION: A power MOS transistor is placed in the central part 11 of a semiconductor substrate, a gate interconnection layer 12 is formed on the semiconductor substrate while surrounding the central part 11 and a heavily doped semiconductor region 13 is formed on the outer

04/25/2003, EAST Version: 1.03.0002

circumferential part of the semiconductor substrate and connected with the drain of the power MOS transistor. Bidirectional polysilicon Zener diodes 14 comprising a large number of pairs of Zener diodes connected in reverse series between the drain and gate of the power MOS transistor are arranged along the diametral direction of the semiconductor substrate.

COPYRIGHT: (C) 2001, JPO

04/25/2003, EAST Version: 1.03.0002

(19)日本国特許庁 (JP)

(12) 公開特許公報(A)

(11)特許出願公開番号 特開2001-94092 (P2001-94092A)

(43)公開日 平成13年4月6日(2001.4.6)

(51) Int.Cl.⁷

識別記号

ΡI

テーマコート*(参考)

H01L 29/78

H01L 29/78

657C

審査請求 未請求 請求項の数3 OL (全 5 頁)

(21)出願番号

(22)出顧日

特顧平11-270376

.....

平成11年9月24日(1999.9.24)

(71)出顧人 000003218

株式会社豊田自動機機製作所 愛知県刈谷市豊田町2丁目1番地

(72)発明者 森 昌吾

爱知県刈谷市豊田町2丁目1番地 株式会

社豊田自動織機製作所内

(74)代理人 100097906

弁理士 中村 和年

(54) 【発明の名称】 パワーMOSトランジスタ

(57)【要約】

【課題】 双方向ポリシリコンツェナーダイオードをドレイン・ゲート間に内蔵したパワーMOSトランジスタ において、前記双方向ポリシリコンツェナーダイオード の改良された配置を提供する。

【解決手段】 半導体基体の中央部11に配置されたパワーMOSトランジスタと、前記中央部11を取り囲むように前記半導体基体に設けられたゲート配線層12と、前記半導体基体の外周部に形成され前記パワーMOSトランジスタのドレインに接続される高不純物濃度を有する半導体領域13とを備え、前記パワーMOSトランジスタのドレイン・ゲート間に接続されて逆方向に直列接続された多数のツェナーダイオード対からなる双方向ポリシリコンツェナーダイオード14を前記半導体基体の径方向に沿って設けている。



